MATH 1910 PRACTICE EXAM III

5 pts 1. Suppose that a function f is increasing and continuous on the half-open interval (-2, 1]. Which of the following statements must be true?

- (a) The function f has no absolute extrema.
- (b) The function f has an absolute minimum at x = 1 and an absolute maximum at x = -2.
- (c) The function f has an absolute minimum at x = -2 and an absolute maximum at x = 1.
- (d) The function f has an absolute maximum at x = 1 and no absolute minimum.
- (e) The function f has an absolute minimum at x = -2 and no absolute maximum.
- 5 pts 2. Suppose a function f is defined on the segment (-.5, 4) by the graph shown below. Which of the following statements must be true?



- (a) The function f has no absolute extrema.
- (b) The function f has an absolute maximum and an absolute minimum.
- (c) The function f has an absolute minimum but no absolute maximum.
- (d) The function f has an absolute maximum but no absolute minimum.
- (e) The function f has two absolute maxima but no absolute minima.

5 pts 3. <u>Suppose that f has a single critical number at x = 3. If f'(0) = -2 and f'(4) = 6, then we know</u>

- (a) f has no relative extrema. (b) f has a relative minimum output at x = 3.
- (c) f has a relative maximum output at x = 3. (d) f has an inflection point at x = 3
- (e) f has a horizontal tangent line at x = 3.

5 pts 4. _____ Suppose that f'(2) = 0. If f''(2) = -5, then we know

(b) f has a relative minimum output at x = 2.

- (c) f has a relative maximum output at x = 2. (d) f has an inflection point at x = 2.
- (e) f has a kink in its graph at x = 2.

(a) f has no relative extremum at x = 2.

The diagram below shows the *derivative* graph for a function f. Use this graph to answer Problems 5, 6, and 7.



5 pts 5. _____ Based on the *derivative* graph shown above, we see that f has critical numbers at (a) x = -2, x = 0, and x = 1. (b) x = -1.25 and x = .6. (c) only x = .6. (d) only x = -1.25. (e) x = -2.5 and x = 2.

5 pts 6. _____ Based on the *derivative* graph shown above, we see that f has relative maximum outputs (a) at x = -2 and x = 1. (b) only at x = 0. (c) only at x = .6. (d) only at x = -1.25.

(e) at x = -2.5 and x = 2.

5 pts 7. _____ Based on the *derivative* graph shown above, we know that f will have inflection points at

(a) x = -2, x = 0, and x = 1. (b) x = -1.25 and x = .6. (c) only x = .6. (d) only x = -1.25. (e) x = -2.5 and x = 2.

Problems 8 - 10 refer to the function and its derivatives shown below.

$$f(x) = \ln\left(2x^2 - 2x + 1\right) \qquad f'(x) = \frac{2(2x - 1)}{2x^2 - 2x + 1} \qquad f''(x) = \frac{8x(1 - x)}{(2x^2 - 2x + 1)^2}$$

5 pts 8. _____ The function f will have critical numbers

(a) only at x = 1/2. (b) at x = 0 and x = 1. (c) at $x = \frac{1}{2} (1 \pm \sqrt{3})$. (d) at x = 1/2 and $x = \frac{1}{2} (1 \pm \sqrt{3})$.

(e) at no value of x.

5 pts 9. _____ The function f will have a relative maximum output (a) only at x = 1/2. (b) at x = 0 and x = 1. (c) at $x = \frac{1}{2} (1 \pm \sqrt{3})$. (d) at x = 1/2 and $x = \frac{1}{2} (1 \pm \sqrt{3})$.

(e) at no value of x.

5 pts 10. _____ On the interval [1,3], the function f will have its absolute minimum output at (a) x = 3 (b) $x = \frac{1}{2} \left(1 + \sqrt{3} \right)$ (c) x = 1 (d) x = 1/2(e) x = 2

10 pts11. One of the following limits is an indeterminate form, and one is not. Identify the indeterminate form and use L'Hôpital's Rule to compute the limit.

$$\lim_{t \to 0} \frac{3t}{1 + \cos(t)} \qquad \lim_{y \to 0} \frac{y\sin(y)}{y^2}$$

10 pts12. The area of a right triangle is given by $A = \frac{1}{2}xy$, where x and y represent the lengths of the legs of the triangle. A rancher wants to make a corral in the form of a right triangle adjacent to her barn. The barn will serve as the hypotenuse of the triangle and therefore that side of the corral needs no fencing. If the amount of fencing she has is fixed at 100 feet, and she wants to use all of the fencing, what dimensions will maximize the area of the corral?



- 10 pts 13. Consider the function $f(x) = x^4 8x^2 + 4$.
 - (a) Compute the first and second derivatives of f.

(b) Identify the critical numbers for f. Show your work.

(c) Use the Second Derivative Test to determine which of these critical numbers yield relative maximum or minimum outputs for f. Show your steps.

10 pts 14. Solve the differential equation $y'' = x + \cos(x)$. You must show your steps for full credit.

10 pts 15. Find the antiderivative family for the function $f(x) = x(x^2 - 5)^3$. You must show your work for full credit.