Precalculus Final Exam Review

(Updated November 2014)

1. Some values for the variables x and y are presented in the table below. If x and y are in a linear relationship, what is the value of y when x = 9?

\boldsymbol{x}	1	3	9	12
y	15	11		-7

(a) y = 0

(b) y = 7

(c) y = 1

(d) y = -1

(e) y = -4

2. When we talk about a quantity associated with an object or a process, what are we talking about?

- (a) Some part of the object or process
- (b) Some attribute of the object or process that can be measured
- (c) The number of objects present or the number of times the process is repeated
- (d) The particular type of object or process being considered
- (e) The broadest context in which the object or process makes sense

3. Suppose a box a crackers is sitting on the kitchen table. Which of the following would be a quantity associated with the box of crackers?

- (a) The salt on the crackers
- (b) The weight in ounces of the box
- (c) Ten boxes of crackers
- (d) The cardboard in the box
- (e) The kitchen in which the table sits that supports the box

4. The slope of the line 3x - 4y + 8 = 0 is

(a) m = -4

(b) m = 3

(c) m = 3/4

(d) m = 4/3

(e) m = 8

5. Suppose the radian measure for an angle is $\theta = -6\pi/5$. What is the degree measure for this angle?

(a) $a = 150^{\circ}$

(b) $a = -216^{\circ}$

(c) $a = 36^{\circ}$

(d) $a = -150^{\circ}$

(e) $a = 216^{\circ}$

Problems 6 and 7 refer to the following situation. You decide to rent a car from a company that charges a \$25.50 rental fee plus \$0.05 per mile for every mile the car is driven.

6.	Which of the following stateme	ents are true?		
	(a) The rate charged per mile(c) The cost of renting the ca(e) Both (b) and (c) are true	ar is a fixed quantity	(b) The rental fee is a fixed quantity(d) Both (a) and (b) are true.	
7.	Let d be the miles driven in the rental car, and let c be the cost in dollars of renting the car. Which of the following formulas is correct?.			
	(a) $\triangle d = .05 \triangle c$	(b) $d = 25.50 + .05c$		
	(c) $\frac{\triangle c}{\triangle d} = .05$	(d) Both (a) and (b) are true.		
	(e) Both (b) and (c) are true.			
8.	flour for every cup of sugar. Le	et x represent the amount α	rt, along with an additional one-half cup of if flour used (measured in cups) and let y be the following statements is true?	
	(a) x and y are proportional.	(b) $\triangle x$ and x	$\triangle y$ are proportional.	
	(c) The y -intercept is the point	int $(0,0)$. (d) Three cu	ps of sugar correspond to $1.5~\mathrm{cups}$ of flour used.	
	(e) All of the above statemen	its are true.		
		_	is standing on a level playing field when he bove the ground s seconds after Cole throws $(t-1)^2$	
9.	The maximum height of the ba	all above the ground will be		
	(a) $H=2$ feet	(b) $H = 5.5$	feet	
	(c) $H = 3.5 \text{ feet}$	(d) $H = 7.5$		
	(e) $H = 10$ feet	· ,		
10.	Janice does not catch the ball.	How many seconds will pa	ass before the ball hits the ground?	
	(a) $t = 1$ seconds	(b) $t \approx 2.5 \text{ seconds}$	nds	
	(c) $t \approx 2.66$ seconds	(d) $t = 3$ second	ds	
	(e) $t \approx 1.87$ seconds			
11.	Suppose that A is the degree in to $\sin (A + 720^{\circ})$?	neasure for an angle. Which	h of the following expressions must be equal	
	(a) $\sin(-A)$	(b) $-\cos(A)$		
	$(c) - \sin(A)$	(d) $\cos(A)$		
	(e) $\sin(A)$			

12. Suppose that b is the radian or degree measure of an angle. As along as all factors are defined, which of the following expressions is equal to

$$\frac{\cot(b)\cos(b)}{\csc(b)}$$

(a) $\cos^2(b)$

(b) 1

(c) $\sin^2(b)$

(d) tan(b)

- (e) $\frac{\cos^3(b)}{\sin(b)}$
- 13. The slope of any line perpendicular to the line y = f(x) = -5x + 8 will be
 - (a) m = 5/8

(b) m = 1/5

(c) m = -8/5

(d) m = 5

- (e) m = 8
- 14. The implied domain of the function $y = f(x) = \ln(2x 1)$ is the set of
 - (a) all real numbers

(b) all real numbers except x = 0

(c) all real numbers x > 0

(d) all real numbers x > 1/2

- (e) all real numbers x < 1
- 15. Let a and b be distinct real numbers. Which of the following statements is true about the rational function

$$y = f(x) = \frac{(x-a)^3(x-b)}{(x-a)(x-b)}$$

- (a) The function f has a vertical asymptote only at x = a.
- (b) The function f has a vertical asymptote only at x = b.
- (c) The function f has a vertical asymptote at x = a and at x = b.
- (d) The function f has no vertical asymptotes.
- (e) The function f has an x-intercept at x = b.
- 16. Let u and v be the values of two varying quantities and suppose that u changes at a constant rate of -4.4 with respect to v. Which of the following statements is true?
 - (a) v = -4.4r

(b) $\triangle v = -4.4 \triangle u$

(c) u = -4.4v

(d) $\triangle u = -4.4 \triangle v$

- (e) u = v 4.4
- 17. Recall that the function $\theta = f(b) = \arctan(b)$ is a partial inverse function for $b = g(\theta) = \tan(\theta)$. If we know that $\arctan(\tan(\theta)) = \theta$, then which of the following inequalities must be true?
 - (a) $-\pi/2 < \theta < \pi/2$

(b) $0 < \theta < \pi$

(c) $-\pi/2 < \theta < \pi$

(d) $-\pi < \theta < \pi$

(e) $0 < \theta < \pi/2$

- 18. At practice one afternoon, Jan ran seven laps on a one-half mile track at a constant speed of three miles per hour. Which of the following is a constant quantity in this situation?
 - (a) the speed in miles per hour that Jan ran (b) the total number of laps that Jan ran
 - (c) the total time that Jan ran
- (d) the total hours required to run one lap

- (e) all of the above
- 19. Suppose that a > 0. If we know that $b = a^c$, then we also know that
 - (a) $b = \log_a(c)$

(b) $c = \log_b(a)$

(c) $a = \log_c(b)$

(d) $b = \log_c(a)$

- (e) $c = \log_a(b)$
- 20. Let u be the radian or degree measure of an angle. Assuming all factors are defined, which of the following expressions is equal to

$$\frac{\sin(u)}{\csc(u)} + \frac{1}{\sec^2(u)} + \tan^2(u)$$

(a) $\cot(u)$

(b) $2 \tan^2(u)$

(c) $2\csc(u) + \tan(u)$

(d) $\tan^2(u)$


- (e) $\sec^2(u)$
- 21. If a quadratic function has its minimum at the point (a, b), which of the following formulas could represent this function?
 - (a) $y = f(x) = 3(x a)^2 + b$

(b) $y = f(x) = 4 - 2a(x+b)^2$

(c) $y = f(x) = b - 4(x - a)^2$

(d) $y = f(x) = (x - b)^2 + a$

- (e) $y = f(x) = 5(x+b)^2 a$
- 22. Consider the triangle shown in the diagram below. To the nearest tenth, what is the length of Side a?



(a) $a \approx 29.4$ inches


(b) $a \approx 69.6$ inches

(c) $a \approx 83.0$ inches

(d) $a \approx 37.9$ inches

(e) $a \approx 24.6$ inches

23. Annabeth needs to know the dimensions of a triangular piece of property whose boundaries are shown below. She can measure two sides directly, but unfortunately, one side lies in a lake and cannot be reached. To the nearest tenth of a foot, what is the length of the unknown side?



(a) $c \approx 108.8$ feet

(b) $c \approx 149.8$ feet

(c) $c \approx 163.0$ feet

(d) $c \approx 100.0$ feet

- (e) $c \approx 130.9$ feet
- 24. Nancy starts eating a bowl of soup at noon, and it takes her twenty minutes to finish. Which of the following is a varying quantity in this situation?
 - (a) the bowl
- (b) the weight of soup in the bowl in ounces since noon
- (c) the time
- (d) the total time in minutes that passes while Nancy eats


- (e) Nancy
- 25. As an ice cube melts, its mass in grams changes at a constant rate with respect to the number of minutes since it began melting Five minutes after the ice cube began to melt, its mass was ten grams. Seven minutes after the ice cube began to melt, its mass was seven grams. What was the constant rate of change?
 - (a) 2 grams per minute
- (b) -1 gram per minute
- (c) -1.5 grams per minute
- (d) 0.7143 grams per minute
- (e) 1.4 grams per minute
- 26. Suppose an angle in standard position lies in Quadrant IV. If θ is the radian or degree measure for this angle and $tan(\theta) = -4/7$, what is the exact value of $cos(\theta)$?
 - (a) $\cos(\theta) = -4$


(b) $\cos(\theta) = -\frac{4}{\sqrt{33}}$ (d) $\cos(\theta) = \frac{7}{\sqrt{65}}$

(c) $\cos(\theta) = \frac{3}{\sqrt{11}}$

(e) $\cos(\theta) = 7$

27. Consider the four graphs shown below. Which of these graphs have input intervals where the average rate of change is negative and input intervals where the average rate of change is positive?





- (a) None of the graphs
- (b) Only Graph III
- (c) Only Graph IV
- (d) Both Graphs III and IV
- (e) Both Graphs I and II
- 28. On which of the following sets is the graph of the function $f(x) = -6x^2 + 12x 4$ decreasing?
 - (a) the set $(-\infty, -1)$ (b) the set $(-1, +\infty)$
- - (c) the set $(1, +\infty)$ (d) the set (-1, 1)
 - (e) the set $(-\infty, 1)$
- 29. Simplify the expression f(a-1) if f is the function defined by $y = f(x) = 4x^2 + 2x + 6$.
 - (a) $f(a-1) = 4a^2 6a + 8$


(b) $f(a-1) = 4a^2 + 7$

(c) $f(a-1) = 4a^2 + 2a$

(d) $f(a-1) = 6a^2 - 4a - 8$

(e) $f(a-1) = -6a^2 + 4a + 8$

30. The graph of a function f is shown below. Use this graph to determine the average rate of change for f as the input values change from x = -5 to x = 4.



(a) Average rate of change is 3

(b) Average rate of change is 0

(c) Average rate of change is $\frac{5}{4}$ (e) Average rate of change is $\frac{1}{2}$

(d) Average rate of change is $\frac{1}{3}$

- 31. The purchasing power of the dollar at a point in time is the amount of money needed today to purchase the same item. If the purchasing power of the dollar is decreasing continuously at an annual rate of 2.9%, approximately how many years will it take for the purchasing power to decrease to 79 cents?
 - (a) Approximately 8.10 years

(b) Approximately 27.24 years

(c) Approximately 0.81 years

(d) Approximately 0.08 years

- (e) Approximately 5.25 years
- 32. The Fine Bank of Murfreesboro pays 6% APR, compounded monthly, on all of its accounts. To the nearest hundredth, what is the APY (effective yield) for this interest rate?
 - (a) APY $\approx 6.23\%$

(b) APY $\approx 6.12\%$

(c) APY $\approx 6.17\%$

(d) APY $\approx 6.26\%$


- (e) APY $\approx 6.03\%$
- 33. A bag of groceries is sitting on your kitchen table. Which of the following is a quantity?
 - I. The bag
 - II The volume of the bag in cubic inches
 - III The groceries in the bag
 - IV The temperature in degrees Celsuis of the egg carton at the bottom of the bag
 - (a) Only I and III

(b) Only II and IV

(c) Only I and II

- (d) Only III and IV
- (e) All are quantities.

Problems 34 and 35 refer to the graph below, which shows the relationship between the weight W in pounds of Milton's cat, Murgatroyd, and the number m of months since Milton started using a new cat food on January 1, 2013.



34. What is the meaning of the point (4.5, 15.1) on the graph above?

- (a) Fifteen and one-tenth months after January 1, 2013, Murgatroyd's weight was four and one-half pounds.
- (b) Four and one-half months after January 1, 2013, Murgatroyd's weight was fifteen and one-tenth pounds.
- (c) There was a change of fifteen and one-tenth pounds as the number of months since January 1, 2013 changed from 0 to 4.5.
- (d) There was a change of four and one-half months as Murgatroyd's weight changed by fifteen and one-tenth pounds.
- (e) It took Murgatroyd four and one-half months to lose fifteen and one-tenth pounds.

35. As the value of m decreases from 10 to 3 months, what is the approximate value of ΔW ?.

- (a) $\Delta W = -1.2$ pounds (b) $\Delta W = 7$ pounds
- (c) $\Delta W = 2$ pounds
- (d) $\Delta W = 1.2$ pounds
- (e) $\Delta W = -2$ pounds

- 36. Denise places seven grams of yeast in a Petri dish, and the mass of yeast in the dish increases 3% per day for the next thirty days. Which of the following functions gives the mass M of the yeast as a function of the number d of days since Denise placed the yeast in the dish?
 - (a) M(d) = 7 + .03d
- (b) M(d) = 7 + 1.03d
- (c) $M(d) = 7 \cdot (0.03)^d$
- (d) $M(d) = 7.21^d$
- (e) $M(d) = 7 \cdot 1.03^d$
- 37. The implied domain of the function $y = f(x) = \frac{\sqrt{3x+5}}{x-1}$ is the set
 - (a) $\left[-\frac{5}{3}, +\infty\right)$
- (b) All real numbers except x = 1
- (c) All real numbers (d) $(0, +\infty)$
- (e) $\left[-\frac{5}{3}, 1\right) \cup (1, +\infty)$
- 38. Recall that the function $\theta = f(b) = \arcsin(b)$ is a partial inverse for the function $b = \sin(\theta)$. Which of the following is an equivalent algebraic formula for the expression

$$\cot\left[\arcsin\left(\frac{3t}{2}\right)\right]$$

- (a) $\sqrt{9t^2-4}$
- (b) $\frac{3t}{2}$
- (c) $\frac{3t}{\sqrt{9t^2-4}}$
- $(d) \frac{\sqrt{4-9t^2}}{3t}$

- (e) $\frac{3t-2}{2}$
- 39. If the point (3,4) lies on the graph of an invertible function f, then which of the following points lies on the graph of its inverse function?
 - (a) the point (4,3)
- (b) the point (3, -4)
- (c) the point (3, 1/4)
- (d) the point (-3, -4)
- (e) the point (4, -3)
- 40. What is the formula for the inverse of the function $w = g(u) = \sqrt[3]{\frac{3u-1}{5}}$?
 - (a) $u = g^{-1}(w) = \left(\frac{5w 1}{3}\right)^3$
- (b) $u = g^{-1}(w) = \frac{3w^3 1}{5}$

(c) $u = g^{-1}(w) = \frac{5w^3 + 1}{3}$

- (d) $u = g^{-1}(w) = \frac{5\sqrt[3]{w} + 1}{3}$
- (e) $u = g^{-1}(w) = \left(\frac{3w 1}{5}\right)^3$

- 41. The line parallel to y = f(x) = 5x + 8 having vertical intercept (0,4) is defined by the formula
 - (a) $y = g(x) = -\frac{1}{5}x 4$ (b) $y = g(x) = \frac{1}{5}x + 4$
 - (c) y = q(x) = 5x + 4
- (d) y = q(x) = -5x 4
- (e) y = g(x) = 5x 4
- 42. Polly erects a vertical flagpole on a stretch of level ground. A forty-foot section of rope is attached to the top of the flagpole. When Polly pulls the rope tight so that the other end just touches the ground, she finds that the tight rope makes an elevation angle of 37.6° with the ground. To th nearest foot, how tall is the flagpole?
 - (a) 21 feet
- (b) 31 feet
- (c) 40 feet
- (d) 32 feet
- (e) 24 feet

Problems 43 - 45 refer to the function defined below.

$$f(t) = \begin{cases} 2x - 1 & \text{if } x < -1\\ x^2 + 4 & \text{if } -1 < x \le 3\\ \sqrt{x + 5} & \text{if } 3 < x \end{cases}$$

- 43. Which of the following statements is correct based on the formula for f?
 - (a) f(-1) = -3
- (b) f(-1) is undefined
- (c) f(-1) = 5
- (d) f(-1) = 0
- (e) f(-1) = 2
- 44. Which of the following statements is correct based on the formula for f?
 - (a) f(f(0)) = 16
- (b) f(f(0)) is undefined
- (c) f(f(0)) = 3
- (d) f(f(0)) = 4
- (e) $f(f(0)) = \sqrt{5}$
- 45. Suppose that g(t) = 5t + 2. If f is the function defined above, then which of the following statements is true?
 - (a) $(f \circ g)(-2) = 40$
- (b) $\left(\frac{g}{f}\right)(-2) = 40$
- (c) $(g \circ f)(-2) = 40$
- (d) (gf)(-2) = 40
- (e) (q+f)(-2)=40

- 46. The salary of the vice president of the ShoeTunes corporation is given by $P(t) = 60000 \cdot (1.03)^t$, where P is measured in dollars, and t is the number of years since she was hired. Which of the following statements is true?
 - (a) She will be receiving a 103% raise each year.
 - (b) Her salary next year will be 3% of her salary this year.
 - (c) Her salary next year will increase by 3% compared to her salary this year.
 - (d) Her salary increases by \$1,800 every year.
 - (e) Her salary increases by \$61,800 every year.
- 47. For the first six months it was in business, the number N of musical shoes that Shoe Tunes manufactured in a week increased with respect to the number t of weeks since the company was founded according to the function $N = f(t) = 5000 \cdot 2^t$. Which of the following formulas will tell us the number of weeks since the company was founded (t) when we know the number of shoes made in a given week (N)?

(a)
$$t = \frac{N}{5000}$$

(b)
$$t = \log_2\left(\frac{N}{5000}\right)$$

(c)
$$t = \frac{\log(N)}{\log(10000)}$$

(d)
$$t = \log_{10000}(N)$$

(e)
$$t = \frac{\log_2(N)}{10000}$$

48. Writing the equation ln(2x-1)=6 in exponential notation gives us

(a)
$$6 = \sqrt[\ln]{2x-1}$$

(b)
$$2x - 1 = e^6$$

(c)
$$\ln = \sqrt[6]{2x - 1}$$

(d)
$$2x - 1 = 10^6$$

(e)
$$2x - 1 = \frac{6}{\ln x}$$

49. The number of customers buying from ShoeTunes is increasing exponentially. If the table below gives some values for the number N of customers t years after the company was founded, what is the approximate growth factor for N?

$$\begin{array}{c|cccc} t & 5 & 7 & 9 \\ \hline N & 5,378 & 7,530 & 10,541 \end{array}$$

(a)
$$b \approx 1.04$$


(b)
$$b \approx 0.845$$


(c)
$$b \approx 1.400$$


(d)
$$b \approx 0.600$$


(e)
$$b \approx 1.183$$

50. Suppose you deposit \$10.00 in an account that pays 120% annual interest compounded monthly, and you leave the money in the account for six months. Let t represent the number of months since the deposit was made, and let A represent the amount of money in the account. If we let f represent the function that gives A in terms of t, which of the following graphs most accurately depicts the graph of









(e) None of the above

(a)

51. If you deposit \$2,000 into an account that pays 4% APR compounded continuously, which of the following formulas gives the value V of your investment (in dollars) t years after making the deposit?

(a)
$$V = 2000 + 1.04t$$

(b)
$$V = 2000 \cdot 1.04^t$$

(c)
$$V = 2000 (1 + .04) t$$

(d)
$$V = 2000e^{.04t}$$

(e)
$$V = 2000e^{1.04t}$$

52. If a rational function f is known to have a horizontal asymptote at y=3, then which of the following is a possible formula for the function f?

(a)
$$y = f(x) = x + 3 + \frac{1}{x^2 + 3}$$

(b)
$$y = f(x) = 3 - \frac{1}{x+3}$$

(d) $y = f(x) = \frac{3}{x^2+3}$

(c)
$$y = f(x) = 3x + \frac{1}{x-3}$$

(d)
$$y = f(x) = \frac{3}{x^2 + 3}$$


(e)
$$y = f(x) = \frac{3x}{x^2 + 3}$$

- 53. A street lamp rises vertically from a patch of level ground. When a five-foot tall woman stands eight feet from the base of the lamp, she casts a ten-foot shadow. The angle of depression between the top of the lamp and the tip of her shadow has degree measure
 - (a) exactly 30°
- (b) approximately 26.6°
- (c) approximately 63.4°
- (d) exactly 43°
- (e) approximately 37.5°
- 54. The terminal side of the angle in standard position having degree measure $\theta = 770^{\circ}$ lies in
 - (a) Quadrant I

(b) Quadrant II

(c) Quadrant III


- (d) Quadrant IV
- (e) no quadrant it is a quadrantal angle
- 55. If we simplify the expression $\log_2(x) + \log_2(x) \log_2(9)$ so that it is a single logarithm, we have
 - (a) $\log_2(9x^2)$
- (b) $9\log_2(x)$
- (c) $\log_2\left(\frac{x^2}{9}\right)$
- (d) $\log_2(2x 9)$
- (e) $\frac{\log_2(x^2)}{\log_2(9)}$
- 56. The figure below shows the graph of an exponential function $f(x) = b^x$. Based on this graph, the solution to the equation $1.5 = b^x$ is



- (a) $x \approx 3.25$
- (b) $x \approx 2.50$
- (c) $x \approx 3.50$
- (d) $x \approx 1.41$
- (e) $x \approx 0.75$

- 57. Suppose that an angle in standard position has radian or degree measure A. If the point (2, -3) lies on the terminal side of this angle, which of the following statements is true?
 - (a) $\tan(A) = -\frac{2}{3}$
- (b) $\csc(A) = -\frac{3}{\sqrt{13}}$
- (c) $\sec(A) = \frac{\sqrt{13}}{2}$
- (d) $\sin(A) = 3$
- (e) $\cos(A) = -\frac{3}{\sqrt{13}}$
- 58. After completing a pit stop, a racecar pulls back onto the racetrack. Let f be the function that gives the distance in feet that race car has traveled since leaving the pit with respect to the time t in seconds since the racecar left the pit. What is the meaning of the expression f(5) - f(3)?
 - (a) the change in distance traveled from t=3 to t=5 seconds
 - (b) the average speed of the racecar between t = 5 and t = 3 seconds
 - (c) the change in distance traveled for $\triangle t = 2$ seconds
 - (d) the change in distance traveled as the racecar moved from the 3-mile marker to the 5-mile marker
 - (e) the change in time as the racecar moved from the 3-mile marker to the 5-mile marker

Problems 59 and 60 refer to the graph below. The graph gives Veronica's weight W in pounds as a function f of the number n days after January 1, 2012.



- 59. Which of the following statements is a correct interpretation of W = f(n)?
 - (a) The expression means W equals f times n.
 - (b) The expression means an input of n days since January 1, 2012 produces an output of W pounds.
 - (c) The expression means an input of W pounds produces an output of n days since January 1, 2012.
 - (d) Both Statements (a) and (b) are true.
 - (e) Both Statements (a) and (c) are true.
- 60. What is the solution to the equation 120 = f(n)?
 - (a) $n = \frac{120}{f}$ days since January 1, 2012 (b) n = 110 days since January 1, 2012
 - (c) n = 63 days since January 1, 2012
- (d) Both Statements (a) and (b) are true.
- (e) Both Statements (a) and (c) are true.

- 61. If $f(t) = \sqrt{t} + 8$ and g(u) = 2u 1, then what is the rule defining the function $h(t) = (g \circ f)(t)$?
 - (a) $h(t) = \sqrt{2t+7}$ (b) $h(t) = (2t-1)(\sqrt{t}+8)$
 - (c) h(t) = 2t 1 (d) $h(t) = \sqrt{2t 1} + 8$
 - (e) $h(t) = 2\sqrt{t} + 15$
- 62. Suppose that y = f(x) defines the values of y as a function of the values of x. Which of the following expressions gives the average rate of change for f as the values of x change from x = 4 to x = 1?
 - (a) $\frac{f(1) f(4)}{1 4}$ (b) f(4) f(1)
 - (c) $\frac{y(1) y(4)}{1 4}$ (d) 1 4
 - (e) Both (a) and (c)
- 63. One solution to the equation $1 = 2\sin(3x 1)$ is given by the equation
 - (a) $x = 1 + \frac{1}{6\sin}$ (b) $x = \frac{1 + \arcsin(1/2)}{3}$
 - (c) x = 2 (d) $x = \arcsin(1/6) 1$
 - (e) $x = \frac{\sin(1) + 1}{6}$
- 64. For the table below, which of the following statements is correct?

- (a) In the relation, x is **not** a function of y, and y is **not** a function of x.
- (b) In the relation, x is a function of y, and y is a function of x.
- (c) In the relation, x is a function of y, but y is **not** a function of x.
- (d) In the relation, x is **not** a function of y, but y is a function of x.
- (e) There is not enough information to tell whether one variable is a function of the other.
- 65. Let f be the function that gives the annual salary S in dollars for Arial with respect to the number m of months she has been on the job. What would the function g(m) = f(m+2) represent?
 - (a) The salary of Arial after two months on the job
 - (b) Two dollars more than the salary of Arial when she has been on the job for m months
 - (c) The salary of Arial two months after she has been on the job for m months
 - (d) An employee who has been on the job two months longer than an Arial, who has been on the job for m months
 - (e) The salary of m+2 employees

- 66. If y = h(x) = 5x 4, then what steps must be followed to create the rule defining the function h^{-1} ?
 - (a) Take the reciprocal of y.
 - (b) Divide y by 5, then add 4 from the result.
 - (c) Add 4 to y, then divide the result by 5.
 - (d) Add 4 to y, then divide the result by x.
 - (e) Take the reciprocal of y, multiply the result by 5, and then add 1.

Problems 67 and 68 refer to the table below. Let f be the function that gives the number N of cats (in millions) owned in the US with respect to the number B of cat food brands available in the US. Let g be the function that gives the number N of cats owned (in millions) in the US with respect to the number t of years since 2000. The tables below provide some data for these functions.

Number of Brands	Number of Cats (Millions)
1	4.0
4	5.0
6	10.2
7	9.7
8	11.3

TP-1.1-	C	41	C 4 :	ſ
Lable	m	tne	function	Т

Years since 2000	Number of Cats (Millions)
1.0	5.0
1.5	9.1
2.5	9.1
4.0	9.7
5.0	10.2

Table for the function g

- 67. Based on the tables, what is the value of $f^{-1}(q(5.0))$?
 - (a) 10.2

(b) 4

(c) $\frac{1}{4}$

(d) 6

- (e) $\frac{1}{10.2}$
- 68. Based on the tables, what is true about the expression g(f(4))?
 - (a) q(f(4)) = 5.0

(b) g(f(4)) = 9.7

(c) g(f(4)) = 4.0

- (d) g(f(4)) = 10.2
- (e) q(f(4)) has no real-world meaning.
- 69. Suppose an ant is sitting on the tip of a fan blade that is three feet long. The fan starts slowly rotating, and the ant rotates through an angle having measure -143° before it falls off the blade. Approximately how far did the ant travel from its starting point to the point where it fell off the blade?
 - (a) about 6.27 feet

(b) about 4.29 feet

(c) about -2.50 feet

(d) about 2.50 feet

- (e) about 7.49 feet
- 70. Nichelle places an eleven-gram sample of bacteria in a Perti dish and applies a probiotic which causes the mass of the bacteria to increase continuously at 11.5% per day. To the nearest tenth gram, what will be the mass of the bacteria after one week?
 - (a) 26,981.2 grams (b) 4.9 grams
 - (c) 33.5 grams
- (d) 24.6 grams
- (e) 12.3 grams

71. A polynomial is known to have degree 6 and is known to have three distinct roots. The graph of this polynomial crosses the x-axis at the root x = a and x = b, and the graph touches but does not cross the x-axis at the root x = c. Which of the following could serve as the formula for this polynomial?

(a)
$$y = p(x) = 2(x-a)^3(x-b)(x-c)^2$$
 (b) $y = p(x) = (x-a)^2(x-b)^2(x-c)^2$

(b)
$$y = p(x) = (x - a)^2 (x - b)^2 (x - c)^2$$

(c)
$$y = p(x) = -3(x-a)(x-b)^2(x-c)^3$$
 (d) $y = p(x) = 4.52(x-a)^2(x-b)(x-c)^2$

(d)
$$y = p(x) = 4.52(x-a)^2(x-b)(x-c)^2$$

(e)
$$y = p(x) = \sqrt{3}(x-a)^2(x-b)(x-c)^3$$

- 72. It is known that x = 1 and x = 2 are potential solutions to the equation $1 = \log_2(-x) + \log_2(x 3)$. Which of the following statements is true?
 - (a) Only x=1 solves this equation.

- (b) Only x=2 solves this equation.
- (c) Both x = 1 and x = 2 solve this equation.

- (d) Neither solves this equation.
- (e) There is not enough information to determine solutions.
- 73. Andre is riding a ferris wheel that has an angular speed of 2.75 radians per minute. Let f be the function that gives Andre's distance in feet above the ground as a function of the number of minutes since the ferris wheel started rotating. What is the period of this function?
 - (a) about 6.27 minutes

(b) about 4.31 minutes

(c) about 2.29 minutes

(d) about 2.75 minutes

- (e) about 0.44 minutes
- 74. If we solve the equation $3^{2t-1} = \frac{1}{81}$, which of the following statements is correct?
 - (a) Only t = -3/2 solves this equation. (b) Only t = -5/2 solves this equation.
- - (c) Only t = 5/8 solves this equation. (d) Only t = -5/8 solves this equation.
 - (e) Only t = 3/2 solves this equation.
- 75. Compared to the graph of the basic sine function, the graph of $f(u) = 3 4\sin(2u + 7)$
 - (a) is shifted 7 units left

(b) has amplitude 4

(c) has period 2

(d) is shifted 3 units down

- (e) has frequency π
- 76. Let a and h be real numbers, and let $y = f(z) = z^2 1$. What is the formula for the average rate of change of f between z = a and z = a + h?

(a)
$$y = a$$

(b)
$$y = \frac{a^2 - 1}{h}$$

(c)
$$y = \frac{2h - a^2}{a}$$

(d)
$$y = a^2 - 1$$

(e)
$$y = 2a + h$$

- 77. The solutions to the equation $\log_6(x+4) = -2$ are
 - (a) $x = \frac{145}{36}$

(b) x = 32

(c) $x = -\frac{143}{36}$

(d) x = -32

- (e) nonexistent
- 78. If a and b are real numbers, then the vertical asymptote for the function $h(y) = \ln(ay + b)$ will occur at
 - (a) $y = -\frac{b}{a}$

(b) $y = \frac{a}{b}$

(c) y = a

(d) y = -b

- (e) y = ab
- 79. A sinusoid function has the form $y = f(x) = v + a \sin(\omega x + \theta)$. Suppose we know that the graph of a particular sinusoid makes $3\pi/4$ period repetitions for every one period repitition in the graph of the basic sine function. What is the period of this sinusoid?
 - (a) the period is 3/4

(b) the period is 2π

(c) the period is $\pi/2$

(d) the period is 2/3

- (e) the period is 8/3
- 80. Suppose that a polynomial y = p(x) is known to have a relative maximum at the point (-1,4) and a relative minimum at the point (4,-10.15). If the polynomial does not have any other relative extrema, which of the following statements must be true about the long-term behavior of p?
 - (a) We must have $p(x) \longrightarrow +\infty$ as $x \longrightarrow -\infty$ and $p(x) \longrightarrow +\infty$ as $x \longrightarrow +\infty$.
 - (b) We must have $p(x) \longrightarrow 0$ as $x \longrightarrow -\infty$ and $p(x) \longrightarrow 0$ as $x \longrightarrow +\infty$.
 - (c) We must have $p(x) \longrightarrow +\infty$ as $x \longrightarrow -\infty$ and $p(x) \longrightarrow -\infty$ as $x \longrightarrow +\infty$.
 - (d) We must have $p(x) \longrightarrow +\infty$ as $x \longrightarrow -\infty$ and $p(x) \longrightarrow 0$ as $x \longrightarrow +\infty$.
 - (e) We must have $p(x) \longrightarrow -\infty$ as $x \longrightarrow -\infty$ and $p(x) \longrightarrow +\infty$ as $x \longrightarrow +\infty$.

ANSWERS

(1) D	(21) A	(41) C	(61) E
(2) B	(22) A	(42) E	(62) A
(3) B	(23) E	(43) B	(63) B
(4) C	(24) B	(44) C	(64) C
(5) B	(25) C	(45) D	(65) C
(6) D	(26) D	(46) C	(66) C
(7) C	(27) B	(47) B	(67) D
(8) B	(28) C	(48) B	(68) E
(9) B	(29) A	(49) E	(69) E
(10) C	(30) D	(50) A	(70) D
(11) E	(31) A	(51) D	(71) A
(12) A	(32) C	(52) B	(72) D
(13) B	(33) B	(53) B	(73) C
(14) D	(34) B	(54) A	(74) A
(15) D	(35) C	(55) C	(75) B
(16) D	(36) E	(56) E	(76) E
(17) A	(37) E	(57) C	(77) C
(18) E	(38) D	(58) A	(78) A
(19) E	(39) A	(59) B	(79) E
(20) E	(40) C	(60) C	(80) E